



# TWIN-SAFE

Split Neutral Electrode  
1280H-swaro-V5-50-600  
Reference: **1280H**

5 Electrodes / Pouch  
600 Electrodes / Case

BIOCOMPATIBILITY	
ISO 10993	Passed
Latex Free	Yes

ENVIRONMENTAL	
RoHS Compliant	Yes
REACH Compliant	Yes

SHELF LIFE	
Product Shelf Life (in accordance with storage guidelines)	24 Months

ELECTRICAL PERFORMANCE (IEC 60601-2-2)	
Impedance by 600 kHz	1 Ohm

MATERIALS	
Substrate Material	PE Foam
Adhesive	Conductive Hydrogel
Release Liner	PETP Film
Connector	N/A
Cable	N/A

APPLICATION	
Grounding Pad for High Frequency Surgery for adults and children	

PRODUCT INFORMATION	
Size	6.93 x 4.80 in / 176 x 122 mm
Substrate Thickness (adapter excluded)	0.039 in / 1 mm
Total Product Surface Area	26.20 in <sup>2</sup> / 169 cm <sup>2</sup>
Conductive Area	17.05 in <sup>2</sup> / 110 cm <sup>2</sup>
Integrated Lead Wire (length \ color)	N/A

PACKAGING	
<b>Product Packaging Material</b>	Foil - PET/AL/PE
<b>Resealable Pouch</b>	No
<b>Product Packaging Size (L x W)</b>	10.24 x 6.30 in 26 x 16 cm
<b>Department Packaging - Box (Size / Qty)</b>	12.20 x 6.69 x 2.95 in 31.0 x 17.0 x 7.5 cm <b>Per Box:</b> 50 e.a.
<b>Transport Packaging - Carton (Size / Qty)</b>	24.80 x 18.70 x 7.09 in 63.0 x 47.5 x 18.0 cm <b>Per Carton:</b> 600 e.a.

**Vermed Part Number: 6000808N**

© 2019 Vermed, a division of Nissha Medical Technologies. All Rights Reserved.  
Disclaimer: The information presented is believed to be reliable concerning the subject matter covered. The final determination of the accuracy or completeness of any information, and the suitability of the product for the use contemplated, is the responsibility of the user. Graphic Controls is a registered trademark of Graphic Controls Acquisition Corporation